# L6

## **User Manual**

Detailed description of this product is available on the website of VOICE CADDIE.

www.voicecaddie.com



## What's In the Package

L6, Pouch, Battery, User Manual, Cleaner

## **Product Parts**




- 1 Laser Receiver/Objective Lens
- 2 Laser Diode
- ③ M Button

- (4) Power/Measure Button
- (5) Eyepiece and Focus Control Unit
- 6 Battery Hold


ENG

## Description of Laser OLED Screen



## Power ON

After inserting batteries, press the Power/Measurement button (  $\mbox{\Large \circlearrowleft})$  to turn on the OLED screen.



## Focus Adjustment


Turn the focus knob on the eyepiece left or right to sharpen the OLED screen.

## **Battery**

- If the  $({\color{red} \, }{\color{blue} \, }{\color{blue} \, }{})$  icon is lit on the screen, the power may be turned off.

## **Unit Change**

After the power is ON, press the M button (  $\widehat{\text{(M)}}$  ) twice in succession to convert from meters (M) to yards (Y)



## OLED Brightness Control


After turning on the power, the brightness level is adjusted, each time you press the M button ( M ) while holding down the Power/Measurement button ( D).

- Brightness Level: 1-6 levels

## Slope ON/OFF

After the power is ON, press the M button ((M)) for more than 3 seconds to convert from slope ON to slope OFF.

- When the slope function is ON, it shows the calibrated distance to which the V-Algorithm™ is applied.
- When the slope function is OFF, it shows the straight-line distance.




 Changing the Unit of Measurement is enabled only when the Slope Mode is on.

### Distance Measurement

#### Spot Measurement


- After turning on the power, press the Power/Measure button( (b) briefly to measure.
- Quickly measure various targets such as fairways, bunkers, and hazards to show the distance.



## Distance Measurement

#### Pin Tracer™ Measurement

- After powering on, press and hold the Power/Measurement button( (b) and scan around the pin (up to 3 seconds).
- When scanning the surroundings of the pin, it will recognize the closet object as a pin and give you a jolt (visual ring & vibration).



## Precautions for Using the Product

#### Precautions for Using the Product

- This device may be affected by the weather such as rain and clouds, and the surrounding environment.
- Depending on your environment and how you use it, battery consumption may increase.
- Do not use this device for any other purpose such as children's toys.
- 4. If the person's eye is exposed directly to laser irradiation, or exposed to the sun or strong light through this device, his/her eyesight may be impaired.
- 5. The lens is coated, so care must be taken when cleaning. In order to prevent damage to the lens, do not touch the lens directly with fingers and rough material.
- Do not keep this device in hot places such as exposed to direct sunlight, in closed vehicles on hot days, or with heaters.
- 7. The device may be damaged by liquids or other substances. Do not use it an environment where water can come into contact with it, and wipe off any foreign substances immediately.
- 8. Do not randomly modify this device such as dropping, throwing, putting in foreign substances, disassembling, incineration, etc.
- 9. Please use only a dedicated battery.
- Be careful not to open the pouch and drop the product due to strong movement.
- Natural cosmetic deformation and degradation of performance due to normal use and aging are not warranted.

## Precautions for Using the Product

#### Safety Precautions for Using the Laser

- 1. The laser emitted from this product is invisible. It is safe to operate by your intention according to the contents of this manual.
- Warning: It is dangerous to look at the laser with other optical instrument, please do not look at the laser through the telescope. If you handle the product arbitrarily without following this manual, you may be injured by the laser.
- 3. Information about laser: Wavelength: 905nm, Pulse Width: 20nsec, Energy: 0.270µJ or less, Divergence Angle: 2mrad
- 4. Class 1M laser product in accordance with IEC 60825-1:2014

## Warranty Conditions

This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment

This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

# **Warranty Conditions**

Product Name	VOICE CADDIE L6
Serial No.	
Purchase Date	
Dealer	
Dealer Contact	
Buyer's Name and Contact	
Name / Phone	
Free Warranty Period	For one year after the purchase of the product (6months for components)
Exchange and Refund Period	Change to 30 days return

## Warranty as follows

- This device was produced through strict quality control and thorough inspection, and may be exchanged or reimbursed in accordance with the Fair Trade Commission Notice Consumer Dispute Resolution Criteria.
- If any defect occurs during normal use, the product will be repaired free of charge within the warranty period. Returns for inaccuracies will be at customer's expense.
- In case of product abnormality caused by user's carelessness even if it is within the free warrenty period, or in case that the warrenty period has expired, it can be repaired on a charge.
- For after-sales service and damage compensation, please present this warranty and proof of purchase (receipt).

# Specifications and After-Sales Service

Product	VOICE CADDIE L6
Key Features	6x Magnification, 1 Color OLED, Pin Tracer™, V-Algorithm™, Slope & Non-Slope
Size/Weight	41.08mm(width) X 71.5mm(Height) X 109.3mm(Length) / 159.8g(Without Battery)
Measuring Range	5 to 1,000 yards (1 yard = 0.91m)
Maergin of Error	Within 1 yard
Device Name	VOICE CADDIE LASER L6
Battery	CR2 - 3V
Manufactured by/in	VC Inc. / China
Imported/Sold by	VC Inc.
Company	VC Inc.



Call: 562-926-3978 6940 Aragon Cir. Unit 6 Buena Park, CA 90620





OFFICIAL RANGEFINDER OF THE LPGA